


GROUND SUPPORT EQUIPMENT SOLID TYRE



GSE SOLID TYRE




Tyre Size	Rim Width	Pattern	Tyre Dimensions in mm		Load Capacity (kg)	Tyre Size	Rim Width	Pattern	Tyre Dimensions in mm		Load Capacity (kg)
			O.D.	S.W.					O.D.	S.W.	
3.50-5	2.75/3.00	LUG RIB	292	100	550	21x8-9 (200/75-9)	6.00	LUG ECO SM	525	190	2400
4.00-8	2.50/3.00/3.75	LUG RIB	405	105	800			LUG N/M ECO N/M			
15x4.5-8 (125/75-8)	3.00	LUG ECO LUG N/M ECO N/M	381	115	850			LUG ECO SM			
5.00-8	3.00	LUG ECO SM LUG N/M ECO N/M	455	125	1150	LUG ECO SM	580	210	3000		
18x7-8 (180/70-8)	4.33	LUG RIB SM LUG N/M	455	170	1800	23x9-10 (225/75-10)				6.50	LUG ECO SM LUG N/M ECO N/M
6.00-9	4.00	LUG ECO SM LUG N/M ECO N/M	540	150	1600	7.50-10	5.50	LUG LUG ECO SM LUG N/M ECO N/M	667	170	2920

Pattern



GSE SOLID TYRE



Tyre Size	Rim Width	Pattern	Tyre Dimensions in mm		Load Capacity (kg)	Tyre Size	Rim Width	Pattern	Tyre Dimensions in mm		Load Capacity (kg)
			O.D.	S.W.					O.D.	S.W.	
23x10-12	8.00	LUG ECO LUG N/M ECO N/M	580	245	3000	300-15 [315/70-15]	8.00	LUG ECO LUG N/M ECO N/M	820	260	5000
5.50-15	4.50	LUG	665	155	1900	28x12.5-15 [355/45-15]	9.75	LUG LUG N/M	718	310	4800
6.00-15	4.50	LUG	665	155	1900	32x12.1-15 [355/65-15]	9.75	LUG LUG N/M	820	300	5800
7.00-15	5.50/6.00	LUG LUG N/M	740	178	3000	32x12.5-15	9.75	LUG	820	300	5800
7.50-15	5.50/6.00	LUG LUG N/M	800	184	3400	7.50-16	5.50/6.00	LUG	800	184	3400
28x9-15 [8.15-15] [225/75-15]	7.00	LUG ECO SM LUG N/M ECO N/M	710	211	3000	10.00-20	7.00/7.50/8.00	LUG SM	1040	250	6000
250-15 [250/70-15]	7.00/7.50	LUG ECO LUG N/M ECO N/M	710	238	3800	12.00-20	8.00/8.50	LUG SM	1140	295	7000
8.25-15	6.50	LUG ECO SM LUG N/M ECO N/M	820	206	4200	12.00-24	8.00/8.50	LUG SM	1210	304	7800
						14.00-24	10.00	LUG SM	1320	340	10500
						16.00-25	11.25	LUG SM	1500	410	13000

Pattern



LUG



RIB



ECO



SM



LUG N/M



ECO N/M